



**CERTIFICATE OF COMPLIANCE**  
**California Proposition 65**  
**Automotive Flexitem MLCC KAF Series**

Supplier Name: KYOCERA AVX Components Corporation  
Address: 1 AVX Blvd., Fountain Inn, SC 29644 USA

This document certifies that the products as stated below and supplied by KYOCERA AVX Components Corporation contain the following substances and/or compounds:

Global P/N	Historical P/N
<b>COG/NPO (A/CG) Dielectric</b>	
KAF15*CG(1E,1H)*****	NEW PRODUCT OFFERING
KAF21*CG(1E,1H,2A)*****	NEW PRODUCT OFFERING
KAF31*CG(1H,2A,2D,2E,2H,2J)*****	NEW PRODUCT OFFERING
KAF32*CG(1H,2A,2D,2E,2H,2J,3A)*****	NEW PRODUCT OFFERING

*Please consult datasheet for available voltages, cap values, cap tolerances, and packaging options.*

Global P/N	Historical P/N
<b>X7R (C/R7) Dielectric &lt; = 1500V**</b>	
KAF03*R70J*****	NEW PRODUCT OFFERING
KAF05*R7(0J,1A,1C,1E,1H)*****	0402*C****(A,4)Z**
KAF15*R7(1A,1C,1E,1H,2A,2D,2E)*****	0603*C****(A,4)Z**
KAF21*R7(1A,1C,1E,1H,2A,2D,2E)*****	0805*C****(A,4)Z**
KAF31*R7(1C,1E,1H,2A,2D,2E,2H,2J,3A,3N)*****	1206*C****(A,4)Z**
KAF32*R7(1C,1E,1H,2A,2D,2E,2H,2J,3A,3N)*****	1210*C****(A,4)Z**
KAF42*R7(2J,3A,3N)*****	NEW PRODUCT OFFERING
KAF43*R7(1H,2A,2J,3A,3N)*****	1812*C****(A,4)Z**
KAF44*R7(0J,1A,1C,1E,1H,2A,2D,2E,2H,2J,3A,3N)*****	NEW PRODUCT OFFERING
KAF55*R7(1E,1H,2A,2D,2E,2H,2J,3A,3N)*****	2220*C****(A,4)Z**

Please consult datasheet for available voltages, cap values, cap tolerances, and packaging options.

**\*\* High voltage options will be classified as out of scope**

Global P/N	Historical P/N
<b>X8R (F/R8) Dielectric</b>	
KAF05*R81H*****	NEW PRODUCT OFFERING
KAF15*R8(1E,1H,2A)*****	0603*F****(A,4)Z***
KAF21*R8(1E,1H,2A)*****	0805*F****(A,4)Z***
KAF31*R8(1E,1H,2A)*****	1206*F****(A,4)Z**

Please consult datasheet for available voltages, cap values, cap tolerances, and packaging options.

Global P/N	Historical P/N
<b>X8L (L/L8) Dielectric</b>	
KAF15*L8(1E,1H,2A)*****	NEW PRODUCT OFFERING
KAF21*L8(1E,1H,2A)*****	NEW PRODUCT OFFERING
KAF31*L8(1C,1E,1H,2A)*****	NEW PRODUCT OFFERING
KAF32*L8(1A,1C,1E,1H,2A)*****	NEW PRODUCT OFFERING

Please consult datasheet for available voltages, cap values, cap tolerances, and packaging options.

Substance or Compound	Listing Mechanism	Toxicity Category*	CAS#	Location in Part	Exposure Route**	NSRL or MADL (µg/day)
Nickel (Metallic)	cancer	LC	7440-02-0	Inner electrode & barrier plating	Internal or internally bound	Not defined

\* AB = Authoritative Bodies, SQE = State's Qualified Experts., FR = Formally Required, LC = Labor Code

\*\* Exposure routes are oral, inhalation, and touch. Unless defined by a listed NSRL or MADL value, oral and touch mechanistic routes require the substance to be located externally. Substances that are internal or internally bound will pose no risk of exposure.

In preparation of this certificate, the California Prop 65 List was reviewed (release dates below).

19 Mar 2021, 17 Dec 2021, 31 Dec 2021, 25 Feb 2022, 27 Jan 2023, 21 Apr 2023, 17 Nov 2023, 29 Dec 2023

The signature below verifies that the statements above, and those made in any material composition data, are valid and accurate to the best of our knowledge.

Date: 10/23/2024

Name: Christine Gagliardi

Title: Material Compliance Manager

e-mail: christine.gagliardi@kyocera-avx.com